





都市再生機構型 L形街きよます(LM-35)



都市再生機構型 L形街きよます(LM-25)




都市再生機構型 U形ます (UM-60・45・24)



(単位 m/m)

コード番号	呼　　び　　名		形　状　寸　法							重　量 (kg)
			a	b	c	d	e	f	g	
28056	UMF-60	ふ　た	－	650	323 323	80	－	－	－	76
28057	UM-60	縁　塊	840	500	78	92	180	80	100	160
28058	UMF-45	ふ　た	－	470	470	60	－	－	－	27
28059	UM-45	縁　塊	650	350	63	87	150	60	90	86
28060	UMF-24	ふ　た	－	350	350	50	－	－	－	14
28061	UM-24	縁　塊	500	250	53	72	100	50	50	34

都市再生機構型 U形ます躯体部 (UM-60・45・24)





101 = 840
 ※H寸法は102 = 690を標準とします。
 103 = 540

(単位 m/m)

コード番号	呼 び 名	形 状 寸 法			重 量 (M/kg)
		a × a'	b × b'	c	
27019	UM-60	600 × 600	900 × 900	150	1071
27017	UM-45	450 × 450	650 × 650	100	857
27013	UM-24	300 × 300	500 × 500	100	381


注…D、E、H寸法は、御注文時に打合わせさせていただきます。

φ 300都市再生機構型 汚・雨水ます(TMS30・TMR30)




TMS30 (単位 m/m)				
呼 び 名	組 合 せ	H	h	重量(kg)
TMS30-50	A + C	500	316~424	52
TMS30-60	A + B + C	600	416~524	61.5

TMR30 (単位 m/m)				
呼 び 名	組 合 せ	H	h	重量(kg)
TMR30-62	A + C	620	316~420	64
TMR30-72	A + B + C	720	416~520	73.5





φ500都市再生機構型 汚・雨水ます(旧型 SB・RB)



SB型 汚水ます




RB型 雨水ます




A




C



D



B




(単位 m/m)

コード番号	呼び名	H	組 合 せ	h
28009	SB	101	A + B	576~ 744
28015	RB			456~ 624
28010	SB	102	A + B + C	676~ 844
28016	RB			556~ 724
28011	SB	103	A + B + D	776~ 944
28017	RB			656~ 824
28012	SB	104	A + B + C + D	876~1044
28018	RB			756~ 924
28013	SB	105	A + B + 2D	976~1144
28019	RB			856~1024
28014	SB	106	A + B + C + 2D	1076~1244
28020	RB			956~1124
—	—	107	A + B + 3D	—
20021	RB			1056~1224

(単位 m/m)

コード 番 号	記 号	側 塊 内径×高さ	配 筋		重 量 (kg)
			縦 3.5m/m	横 3.5m/m	
28024	A	500×200	8本	5本	50
28025	B	500×650	8本	8本	115
28026	C	500×100	8本	3本	19
28027	D	500×200	8本	4本	38


ますふた(TMS30, TMR30, 旧型 SB・RB)



(単位 m/m)

コード番号	呼 び 名 (マーク刻)	寸 法 表					配 筋		重 量 (kg)
		a	b	h	A	B	縦4.0m/m	横	
—	500用 1形 旧型 (汚・雨)	600	鋳鉄製	44	584	470	—	—	27
四ッ穴 28109	500用 2形 旧型 (雨)	604	594	53	—	—	4	4	34
28022・28023	500用 3形 旧型 (汚・雨)	604	594	53	—	—	7	7	34
28096	300用 TMR30 (雨)	380	370	40	—	—	3	4	11
28097	300用 TMR30 (汚)	380	370	40	—	—	3	2	11

都市再生機構型 宅地ます(TMR24)




(単位 m/m)


呼 び 名	形 状 寸 法	重量(kg)
TMR24	240×240×390	52

φ 400都市再生機構型 汚・雨水ます (TMS40・TMR40)


TMS40 汚水ます




TMR40 雨水ます







側塊 A



側塊 CH-100
DH-200



側塊 B



(単位 m/m)


コード番号	呼び名	H	組合せ	h
28080	TMS40-68	680	A + B	496~604
28085	TMR40-68			426~534
28081	TMS40-78	780	A + B + C	596~704
28086	TMR40-78			526~634
28082	TMS40-88	880	A + B + D	696~804
28087	TMR40-88			626~734

(単位 m/m)


コード 番号	記号	側塊 内径×高さ	配筋		重量 (kg)
			縦 3.2m/m	横 3.2m/m	
28076	A	400×200	8本	4本	33
28077	B	400×480	8本	8本	48
28078	C	400×100	8本	3本	12
28079	D	400×200	8本	4本	24

φ500都市再生機構型 汚・雨水ます (TMS50・TMR50)


TMS50 汚水ます




TMR50 雨水ます







側 塊 A



側 塊 CH-100
DH-200



側 塊 B





(単位 m/m)

コード番号	呼 び 名	H	組 合 せ	h
28066	TMS50- 85	850	A + B	576 ~ 744
28071	TMR50- 85			456 ~ 624
28067	TMS50- 95	950	A + B + C	676 ~ 844
28072	TMR50- 95			556 ~ 724
28068	TMS50-105	1050	A + B + D	776 ~ 944
28073	TMR50-105			656 ~ 824
28069	TMS50-115	1150	A + B + C + D	876 ~ 1044
28074	TMR50-115			756 ~ 924
28070	TMS50-125	1250	A + B + 2D	-
28075	TMR50-125			856 ~ 1024

(単位 m/m)

コード 番 号	記 号	側 塊 内径×高さ	配 筋		重 量 (kg)
			縦 3.5m/m	横 3.5m/m	
28065	A	500×200	8本	4本	53
28025	B	500×650	8本	8本	115
28026	C	500×100	8本	3本	19
28027	D	500×200	8本	4本	38

TMF-C (汚)




コード番号	呼 び 名	寸 法						縦 筋		横 筋		重 量 (kg)
		a	b	h	A	B	d	径	本	径	本	
—	TMF-A(汚・雨)	—	—	45	390	345	410	—	—	—	—	—
28064	TMF-B(雨)	400	390	45	—	—	—	4.0	4	4.0	4	14
28062 28063	TMF-C(汚・雨)	400	390	45	—	—	—	4.0	4	4.0	4	14


Technical drawing of a five-sectioned cylindrical container. The drawing shows the front and side views. The front view is a rectangle divided into five horizontal sections labeled A, B, C (C'), D, and E from top to bottom. Section C is labeled with a prime symbol (C'). The side view shows the cylindrical shape with a total height of 860. The front view has a total height of 860, with dimensions for each section: A (150), B (200), C (300), D (400), and E (295). The total height is also indicated as 860. The width of the container is 860. The drawing includes dashed lines to indicate the internal structure of the sections.

φ 700都市再生機構型 汚・雨水ます(TMS70・TMR70)


A異形側塊




B・C・C'異形側塊




D側塊



E₂ 底塊 (TMR用)



E₁ 底塊 (TMS用)



※ふた・わくは、次ページMF-^A/_Bマンホールふた・わくを使用します。


(単位 m/m)

コード番号	呼 び 名	H	組 合 せ	h
28028	TMS70-115	1150	A + B + D + E	996~1080
28032	TMR70-130	1300		996~1100
28029	TMS70-125	1250	A + C' + D + E	1081~1180
28033	TMR70-140	1400		1101~1200
28030	TMS70-135	1350	A + C + D + E	1181~1280
28034	TMR70-150	1500		1201~1300
28031	TMS70-145	1450	A + B + C' + D + E	1281~1380
28035	TMR70-160	1600		1301~1400
28090	TMS70-155	1550	A + B + C + D + E	1381~1480
28091	TMR70-170	1700		1401~1500


(単位 m/m)

コード 番 号	記 号	側 塊 内径×高さ	配 筋		重 量 (kg)
			縦 5m/m	横 5m/m	
28039	A	700×200	12本	4本	90
28040	B	700×200	12本	3本	59
28041	C	700×400	12本	6本	118
28042	C'	700×300	12本	4本	89
28043	D	700×455	12本	7本	127
28044	E ₁	700×145	—	—	123
28045	E ₂	700×295	—	—	130

都市再生機構型 マンホールふた・わく (MF-A・MF-B)



MF-B (JIS A 5506)



呼 び 名	重 量 (kg)
マンホールふた・わく MF-A	190
マンホールふた・わく MF-B	198

KF-A 45・60、KF-B 45・60の化粧蓋も取扱います。

SM 30・40・50・70 (浸透櫛)

TM 40・50 (トラップ櫛) も問い合わせ下さい。

KM 75・90・120 (組立式マンホール)